

TAYANA T48



TAYANA T48

BASIC SPECIFICATION

L.O.A	48' 0" / 14.63m
L.W.L	40' 3" / 12.26m
BEAM	14' 6" / 4.41m
DRAFT (DEEP)	6' 0" / 1.82m
DRAFT SHOAL (OPTION)	5' 3" / 1.60m
BALLAST	11675 lbs / 5295 kg
DISPLACEMENT	35000 lbs / 15875 kg
SAIL AREA	1316 ft ² / 122 m ²
DESIGNER	Robert H. Perry
ENGINE (YANMAR)	4 cylinder 75hp diesel
SAILS (UK)	Main, Yankee, Staysail
WINCHES (LEWMAR)	2 x 54 cst , 6 x 40 cst
TANKAGE	140 gallons fuel, s/teel or aluminum 230 gallons water, stainless steel 25 gallons holding Glass re-inforced plastic



DETAIL SPECIFICATION

ENGINE & STEERING

- Yanmar 4 cylinder 4JH3-TE 75HP marine diesel engine
- Flexible engine mounts
- Racor fuel filter
- Engine room blower
- Lead foam insulated engine room
- Raw water strainer for engine intake
- Antisiphon valve
- 0.Muffler/water lock system
- Shaft strut with cutlass bearing
- 1-1/2" Stainless steel prop shaft with three blade bronze propeller
- Stuffing box
- One S/steel or aluminum fuel tank capacity 120 gallons
- Drip less shaft gland
- Steering pedestal
- Stainless steel "destroyer" type steering wheel
- Emergency steering system with tiller
- Rudder bearing
- Bronze rudder shoe skeg mounted rudder
- Vetus bowthrustrer 95kgf

SPARS & RIGGING

- Aluminum mast & boom
- Halyards: main, genoa, staysail & led internally
- Internally led topping lift and out haul
- Double spreaders
- Anchor light
- Combination deck steaming light
- Stainless steel standing rigging with swaged fittings



ELECTRICAL

- Electrical panels
- D/C panel sections include volt and amp gauges, circuit breakers
- Full gauges for AC and DC panels
- 110/240 volt shore power system, with master breaker and circuit breakers
- 110/240 volt outlets throughout
- 110/240 volt Ground Fault Interrupter outlets in both heads
- Newmar 40A Battery Charger
- Two 12-volt 120AH batteries & Fibre re-inforced plastic boxes
- Heavy duty battery selector switch
- Internal bonding system to all chain plates, thru hulls, engine and rudder systems
- Zincs as required
- Numerous overhead cabin lights designed to interior lighting plan
- Engine room light
- Chart table light
- Running lights to international rule
- D/C reading lights
- D/C outlets throughout

SAILS & CANVAS

- Ulmer Kollius or equivalent mainsail with 2 reef points & cover
- Ulmer Kollius or equivalent Yankee with bag
- Ulmer Kollius or equivalent staysail with bag

DECK FITTINGS

- Non-skid side decks and cabin house top
- Electric windlass Maxwell V2200
- Solid teak cap rail
- Six custom Stainless steel mooring fairleads
- Six Stainless steel mooring cleats
- Stainless steel double bow & stern pulpits
- Stainless steel stanchions with custom bases
- Stainless steel boarding gates port & starboard
- Double life lines
- Stainless steel cockpit drains
- Two cowl vents for the master stateroom
- Two deck ventilators and 1 motor fan over galley
- Five Lewmar or equivalent, aluminum overhead hatches
- Stainless steel opening ports
- Four custom fixed windows
- Aluminum genoa and staysail tracks with cars
- Main traveler with roller car
- Deck organizers
- Sheet stoppers
- Teak cockpit sole and bridge deck
- Fiberglass molded propane storage compartment for two tanks
- Two molded coaming compartment
- Teak companionway doors
- Companionway drop boards and sliding hatch
- Reverse transom with swim platform & boarding ladder
- Teak exterior handrails
- Stainless steel double bow roller with stem head fittings
- Deck saloon (option)
- Fibre re-inforced plastic seahood
- Instrument console mounted on seahood

TAYANA T48



WINCHES (All winches are Lewmar Self Tailing)

- 2x Two-Speed #54CST Genoa (primary) winches
- 1x Two-Speed #40CST main sheet winch
- 2x Two-Speed #40CST secondary winch
- 1x Two-Speed #40CST halyard winch
- 2x Two-Speed #40CST halyard winch
- 4x 10" Locking winch handles

PLUMBING

- One 120 gallon s/steel or aluminum fuel tank
- Stainless steel water tanks with baffles, total capacity 230 gallons
- Hot water heater (110 /240 volt & engine heat exchanger)
- Hot & cold pressure water system
- Refrigeration system 110/240v AC
- Faucets in galley & heads
- Large Stainless steel double sink in galley
- Two large heads with showers
- Automatic sump pump for showers
- Large Stainless steel sink in each head
- Manual toilet in each head
- Holding tank & piping for waste disposal in each head
- Macerator and pump for holding tank
- Bronze ball cocks/thru full fittings bonded to ships system
- Electric 12 volt bilge pump with automatic float switch
- Manual bilge pump

INTERIOR

- Teak joinery & cabinetry throughout
- Teak & holly cabin sole
- White formica counters in galley, teak veneer chart & dinette table tops
- Teak framed mirror in head(s) Interior teak handrails
- V-berth filler if applicable
- Cloth cushion covers
- Ice chest 4" foam, stainless steel lined
- Interior varnish, polyurethane satin
- Stove alcove, stainless steel lined
- Removable formica overhead with teak battens
- Teak fiddles and teak trim on counters & tables
- Four inch foam cushions
- Solid teak doors & frames
- Poured foam insulated refrigerator & freezer compartments
- Stainless steel lined stove area
- Deep double Stainless steel sinks
- Formica counter tops
- Trash bin (optional)
- Numerous drawers, lockers and dry storage bins
- Numerous removable floor boards
- Hand rubbed satin varnish on all interior teak surfaces

www.lemacmarine.com

TELECOM HOUSE · MILLENNIUM BUSINESS PARK · STATION ROAD · STEETON · WEST YORKSHIRE · BD20 6RB
TEL: 01535 290606 FAX: 01535 291909
info@lemacmarine.com

Tayana builds in quality without compromise. The above equipment list is subject to change without prior notice.